





A detailed cross-section diagram of a sanitary sewer cleanout. The diagram shows a vertical 4" PVC pipe passing through a 12" DEEP x 24" DIA. CONCRETE SUPPORT. The top of the pipe is sealed with a PLIABLE SEALANT. The pipe is labeled with various components: 45° ELBOW, 4"x4" WYE CONNECTION, and 6" PVC FROST SLEEVE. The pipe is surrounded by a 2" CLEARANCE. The top of the pipe is labeled NEENAH R-1970 OR EQUAL. The bottom of the pipe is labeled 4" PVC. The diagram also shows a 4" PVC PIPE and a 4" PVC FROST SLEEVE. The bottom of the pipe is labeled INV. ELEV. and ALL CONNECTIONS TO BE WATERTIGHT. The diagram is labeled SANITARY SEWER CLEANOUT DETAIL NO SCALE.

Labels in the diagram include:

- FINISHED GRADE
- NEENAH R-1970 OR EQUAL
- 12" DEEP x 24" DIA. CONCRETE SUPPORT
- 2" CLEARANCE
- PLIABLE SEALANT
- 45° ELBOW
- 4"x4" WYE CONNECTION
- 4" PVC PIPE
- 6" PVC FROST SLEEVE
- 4" PVC FROST SLEEVE
- ALL CONNECTIONS TO BE WATERTIGHT
- INV. ELEV.
- 4" PVC

SANITARY SEWER CLEANOUT DETAIL
NO SCALE

Missouri State Certificate
Authority Numbers:
Surveying: 000380
Engineering: 001655
Architecture: 2002014240

two working days prior to the start of any excavation on this site, contractor shall call 1-800-DIG-RITE for utility location information.

All OSHA rules & regulations established for the type of construction required by these plans shall be strictly followed (i.e. Trenching, Blasting, etc.)



*EAST CENTRAL COLLEGE
CENTER FOR ADVANCED MANUFACTURING
AND WORKFORCE TRAINING*

IL SHEET	RETENTION:	ADDENDUM #	DRAW BY:	DATE:	APP'D. BY:	DRAW NO.
		A	BAB	JAN. 22, 2016		
				SCALE:	ERR	
				AS NOTED		
				15-6038		

DETAIL SHEET	DATE:	JAN. 22, 2016
	SCALE:	AS NOTED
	PROJ. NO:	15-6038
	DWG. NO:	
		<i>D3</i>